Idaho PUC Pipeline Safety Inspection Summary

| Inspector(s): | Ulmer/Perkins | | Date(s): | 5-8 Oct 2020 | | |
|--|-----------------------|--------------------------------|--------------------|--------------|--|--|
| | | | | | | |
| Company/Owner: | Don | ninion Energy | Unit/OPID: | 12876 | | |
| : | | - | | Т | | |
| Inspection Type & Time (1 | day, 0.5 day) | Total In | spection Days: | 11 | | |
| Standard: Construction: | Training: | (T)(D) Integrity Management: | Incident: | | | |
| M/M: Follow-up: | OQ : 5 | Damage Prevention: | D&A: | 6 | | |
| Inspection Summary | | | | | | |
| 2020 Drug & Alcohol/Operator Qualification Program Inspections | | | | | | |
| October 2, 2020: (1 D&A prep | | | | | | |
| Prepared for the Dominion Energy's Drug and Alcohol/Operator Qualification program inspections through | | | | | | |
| review of the PHMSA OPS Inspector Assistant question sets and the operator's DOT Anti-Drug and | | | | | | |
| Alcohol/Operator Qualification Plans. Audits will be conducted jointly with Utah and Wyoming. | | | | | | |
| October 5 2020: /2 D8.4 tray | ٥١١ | | | | | |
| October 5, 2020: (2 D&A travel) Traveled to Salt Lake City, Utah to the Dominion Energy headquarters for the audit. | | | | | | |
| Traveled to Salt Lake City, Otali to the Dominion Energy headquarters for the addit. | | | | | | |
| October 6, 2020: (2 D&A) | | | | | | |
| | ns of the Idaho Publi | c Utilities Commission met wi | th DEUWI's Laure | en Skufca | | |
| (Engineer, Pipeline Compliance) and Elizabeth (Ann) Kirby (Senior Occupational Health Specialist (Virtually)) at | | | | | | |
| DEUWI's Office in SLC, UT to review their DOT Anti-Drug and Alcohol Plan. PHMSA's Substance Abuse Program | | | | | | |
| Comprehensive Audit and Inspection Protocol Inspector Assistant questions were used as a guide throughout | | | | | | |
| the audit to ensure all areas were completed. | | | | | | |
| | | | | | | |
| October 7, 2020: (2 OQ) | | | | | | |
| Darrin Ulmer and Bruce Perkins of the Idaho Public Utilities Commission met with DEUWI's Lauren Skufca | | | | | | |
| (Engineer, Pipeline Compliance) and Cathy Mendez (Operator Qualification Program Compliance Specialist) at | | | | | | |
| DEUWI's Office in SLC, UT to review their Operator Qualification Program. PHMSA's Operator Qualification Inspector Assistant questions were used as a guide throughout the audit to ensure all areas were completed. | | | | | | |
| Inspector Assistant questions | were used as a guide | e throughout the audit to ensi | ire all areas were | e completed. | | |
| October 8, 2020 (2 OQ travel) | 1 | | | | | |
| Traveled back to Boise. | ! | | | | | |
| Traveled back to bolse. | | | | | | |
| October 9, 2020: (1 D&A, 1 O | Q post) | | | | | |
| Typed the inspection report, completed forms: PHMSA IA questions, IPUC Forms 1 & 3 and attached inspection | | | | | | |
| documents. | | | | | | |
| | | | | | | |
| Attached: | | | | | | |
| PHMSA Inspector Assistant questions sets completed in IA | | | | | | |
| IPUC Form 1, Inspection Summary | | | | | | |
| IPUC Form 3, Exit Interview | | | | | | |
| | | | | | | |

Idaho PUC Pipeline Safety Inspection Summary

| | | | - 1 |
|---|--|--|-----|
| | | | |
| | | | |
| | | | |
| | | | - 1 |
| | | | - 1 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | - 1 |
| | | | - 1 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Corrective Action Required: | Yes | No X | |
| | Yes | No X | |
| Follow-up Required: by (date): | The second secon | and the second s | |
| Inspector (Lead): | Date | : | |
| Inspector (Lead): Jan Menta Broce Perkins | | 14 OCT 2020 | |
| Reviewer: | Date | | |
| | 5410 | | |
| 1 and 11/1/1/ | | 14 Oct 2020 | |